ELSAFE INDIA

Leading The Way To Safey

Cochin - Chennai - Bangaluru - Hyderabad - UAE

CALL US AT 8848281812

www.elsafeindia.com, info@elsafeindia.com CALL US AT 0484-2575199, 08848281812







QUOTATION

Project Name: LSG ESE PKG
Quote #: 24OQLSGP1
Company: Residential-Protection



These are Residential Packages for Houses at Kerala State only, ALL KERALA FREE DELIVERY, NO HIDDEN CHARGES

Revision:

Terms: ***

Ship via: Land Cargo FOB: Ex-Factory Weight: *** As applicable

LSG Protect-TGD30

Supply of External Lightning Protection System LSG PROTECT – Thunderguard® ESEs are made of non-corrosive materials, utilize advance and sustainable technologies, maintain a 15 Yrs warrenty, are independently tested certified to NFC 17102 and UNE 21186 standards. Level IV 75 mtrs by capturing dangerous lightning discharges and safely channelling it to earth. All mouting mast connected with FRP mast for Protection of Side Flash Lightning Current and Test link Joint Kit IP 55/65 weather proof enclosure for testing the earth pit.Insulation material used to electrically isolate the panels, The lightning air terminal is maintenance free type & frequent testing is not necessary for ensuring the working of it. The central finial shall be elevated above the spheroid and it is sharp pointed & made-up of stainless steel alloy for long and reliable operations. An air gap provided between the individual electrically isolated 4 panels and the finial tip of the central rod.

Number	Item	Description	Qty.	Unit Unit Cost			Total Cost	
		Lightning Protection System			(in INR)		(in INR)	
1	ThunderGuard 30	LSG ThunderGuard 30 Lightning Arrester with SS ADAPTOR	1	No	INR	51,400	INR	51,400
2	Earthing	Maintenance free Earthing For Lightning Arrestor: Using 2 no's of 2 Mtr long / 250 micron, 14.2mm Dia DOLPHIN UL Listed Copper bonded Steel Rod & TEKSO ELECTRON Fill , a low resistivity ,RoHS certified & Maintenance free Grounding Enhancement backfill Compound Model:-TEKSO ELECTRON FILL(22 kg)	1	Set	INR	12,000	INR	12,000
3	Elevation Mast	Specially designed 3 mtrs GI mast Setting , and 1 mtr FRP top section insulation mast; Roof top/Tower side mounting arrangement & fixing accessories (anchoring rope & anchoring plate, Base -for roof top installation). The mast coated with paint for additional protection,Cable connector Adaptor	1	Set	INR	8,000	INR	8,000
4	Down Conductor	50 Sq MM V Guard HRFR Insulated Copper Cable with tester cables for ESE Lightnig Arrester tester	25	Mtrs	INR	700	INR	17,500
5	Surge Protector Device	LSG Protect BC50 Imported 3 Phase 1+2 Combicontrol 50KA AC Surge protection device	1	No	Con	nplementory	Co	omplementory
6	Installation	Installation of ESE Lightning Protection System, tester system, SPDs with Down conductor routing from the LA terminal to the earth pit. Earth termination, fixing & Backfilling	1	Job	INR	10,000	INR	10,000
Quotation Valid For 20 days GRAND TOTAL					NL	INR	98,900.00	

Terms & Conditions

- 1 Price Landed at site
- 2 Customers Scope: Material safety will be customer scope after delivery
- 3 Approvals /Permission of work/storage of tools & equipment/safety etc : At customers scope

Thank you,

Best Regards

aroh

ELSAFE PROTECTION & CONTROL SYSTEMS

CALL US AT 08848281812

6583 3254

Doc. No. : **ES252612121**

Rev. No.:

Rev. Date :

Sales and Service Provider of ALLTEC USA / LSG FRANCE/ TEKSAI-INDIA, Lightning Arresters, Surge Arresters, Maintanence free Earthing



COCHIN CHENNAI BANGALURU HYDERABAD UAE



CATALOGUE

LIGHTNING -SURGE PROTECTION EARTHING & BONDING







About us

We **ELSAFE PROTECTION AND CONTROL SYSTEMS** is a renowned company specialized towards enduring electrical safety cultures across a wide range of markets. We specialize in a total electrical safety model which includes Quality lightning protection system, surge protection system, low resistivity Chemical earthing.



Our brands







ALLTEC USA

ALLTEC USA is an international, full-service company specializing in customized design & engineering solutions for grounding/earthing & bonding, surge/transient protection, and lightning protection.

LSG FRANCE

LSG is aspecialist company, in the fields of lightning protection, electrical earthing and surge protection, which grow the business through dynamic technical orientation and exceptional customer service

TEKSAI INDIA

TEKSAI is an ISO 9001-2023 certified company and a leading brand in India Since 2003 & Teksai has proven itself leader in the Design, Manufacturing of Grounding System, Lightning Protection System & Electrical installation

Our Certifications



















Our Products

- 01 ESE LIGHTNING ARRESTERS
- 02 CONVENTIONAL LIGHTNING ARRESTERS
- 03 SURGE ARRESTERS
- 04 EARTHING RODS, ELECTRODES AND EARTH COMPOUNDS
- 05 COPPER/GI/ALUMINIUM STRIPS, CONDUCTORS, CABLES
- 06 EXOTHERMIC WELDING

Our services

01 PRODUCT SALES

03

Our Stock management and Our Supply chain management is well appointed and best managed to Provide best customer experience and timely completion of Orders.

INSTALLATION

Our installation crews and field technicians perform all forms of exterior earth grounding and internal equipment bonding and grounding, including comprehensive turnkey installation service. Employees participate in continuing education and advancement courses and are ALLTEC Certified Master Installers.

02 SITE VISIT & DESIGN

Understanding of the Site design, layout and their plan for electrical safety implementation all enable us to contribute efficiently; ensuring total Protection and Solution level is achieved

04 TESTING AND SUPPORT

Our field technicians and engineers perform 3-point fall of potential tests, 4-point soil resistivity tests, and clampon resistance tests of grounding systems, as well as complete facility site survey and consulting services. Our staff is equipped with the latest testing equipment. Extensive experience in ground testing and design



Our Esteemed clients





















































CONVENTIONAL LIGHTNING PROTECTION













SURGE PROTECTION DEVICES







ESE LIGHTNING PROTECTION




























EARTHING SOLUTIONS



COPPER/GI/ALUMINIUM CONDUCTORS





CONTACT



www.elsafeindia.com



info@elsafeindia.com



+91-484-2575199, 8848281812



Elsafe Garden, West Morakkkala, Kumarapuram PO, Kakkanad, Ernakulam-683565 Kerala State, India











ESE LIGHTNING ARRESTERS THUNDER GUARD

ThunderGuard series ESE Lightning Arresters Developed and designed in our highly advanced labs is specially designed with unique design philosophy as per NFC-French Standard.

Thunderguard adopts synthesis techniques of leader discharge, impedance to limit current, air-gap discharge etc to produce leader channel in advance, improve lightning effect, reduce discharge voltage and change the discharge process of lightning current.

Thus it broaden the lightning wave, flatten the leading wave, decrease the amplitude and enlarge the scope of protection avoiding side striking and shielding failure then finally actively suppress the damage of Ground Potential Counter attack. Therefore it is an ideal device to prevent direct lightning.

ThunderGuard Series ESE lightning Arresters come in with widest Protection coverage area. Find Our protection radius coverage table for referance.



LSG THUNDERGUARD PROTECTION RADIUS							
	H(m)	ThunderGuard 30	ThunderGuard 60				
	2	20	32				
	3	30	48				
	4	40	65				
LEVEL 1	5	50	79				
	6	50	79				
	8	51	79				
	10	51	81				
	2	23	38				
	3	35	55				
	4	47	74				
LEVEL2	5	58	89				
	6	58	90				
	8	59	92				
	10	60	92				
	2	27	42				
	3	40	62				
	4	53	82				
LEVEL 3	5	66	99				
	6	66	99				
	8	68	101				
	10	69	101				
	2	30	45				
	3	45	65				
	4	59	87				
LEVEL 4	5	74	108				
	6	74	108				
	8	76	110				
	10	77	111				






Product Structure:

- · Central bar
- Reflector
- Trigger gear
- Exciter
- Dead plate of exciter
- Trigger gear, reflector and central bar all are insulating
- Reflector and central bar show good electrical connection to the earth
- The base of exciter is made up of synthetic resin thus applicable to any corrosion environment



Advantages:


- Non-electronic type, long life.
- Guaranteed electrical continuity and sustainability after repeated lightning strike.
- High radius of protection for user selection.
- Non-electrical system, will not be effected by surge impact.
- Only self-activated during lightning strike and initiative intervene the lightning protection system.







ESE LIGHTNING ARRESTERS THUNDER GUARD

Thunderguard 30










LSG TGD30_® protection (UNE 21.186:2011, NFC 17.102:2011 and NP 4426:2013)

Content No	Material	Hight (mm)	Dimension (mm)	Weight (mm)
232111	Stainless Steel	650	18	3700





LSG PROTECT

No.1 avenue de Luxembourg, Europa tower, 94320 Thiais, France www.lsgprotect.com, cs@lsgprotect.com Contact No 0033-7-61-52-75-00